


# FAVEN

## CHROMA

UNDER  
CANOPY  
LIGHTING

- 120W + 15W  
FAR RED LED  
UNDER CANOPY  
LIGHT
- INDEPENDENT  
**FAR RED** CHANNEL
- ADJUSTABLE  
SPECTRUM  
R4-R9 RED &  
WHITE




CHROMA BY FAVEN


XX

# ADJUSTABLE SPECTRUM


**R9**




**R8**




**R7**




**R6**



**R5**




**R4**



## INDEPENDENT **FAR RED** CHANNEL

Designed to run independently or  
in addition to any spectrum.

**FR**



### SALES AND INQUIRIES:

[sales@favenlighting.com](mailto:sales@favenlighting.com)

### TECHNICAL SUPPORT:

[support@favenlighting.com](mailto:support@favenlighting.com)

### YOUTUBE + INSTAGRAM:

[@favenlighting](#)



[info@favenlighting.com](mailto:info@favenlighting.com)



[favenlighting.com](http://favenlighting.com)

# TECHNICAL SPECIFICATIONS

AMPS	DAISY-CHAIN MAX # CONNECTED	VOLTAGE
1.0	10	120
0.5	17	240
0.43	20	277
0.25	35	480



PPE (MOL/J)	up to 3.1
PPF (MOL/S)	up to 380
INPUT POWER	120 W
INPUT CURRENT	1.0A 0.5A 0.43A 0.25A
FREQUENCY	5-/60HZ
FIXTURE DIMENSIONS	45.6"L x 2.9"W x 3.3"H 11.57CM* 7.5CM* 8.5CM
WEIGHT	5.72LB / 2.6KG
THERMAL MANAGEMENT	PASSIVE
OPERATION TEMPERATURE	95°F/35°C MAX
LIGHT DISTRIBUTION	120°
DIMMING	40% - 100% OFF
LIFETIME	>50000 HRS

- ➔ 120W + 15W FARRED DIMMABLE LED FIXTURE
- ➔ INDEPENDENT FAR RED CHANNEL
- ➔ ADJUSTABLE SPECTRUM R4-R9 RED & WHITE
- ➔ IP66 RATING
- ➔ 5YR WARRANTY

